

#### MAXLINE 100 POTABLE WATER COATING - ACTIVATOR

According to Regulation (EC) No 1907/2006, Annex II, as amended by Regulation (EU) No 453/2010

SECTION 1: Identification of the substance/mixture and of the company/undertaking		
1.1. Product identifier		
Product name	MAXLINE 100 POTABLE WATER COATING - ACTIVATOR	
1.2. Relevant identified uses of the substance or mixture and uses advised against		
Uses advised against	No specific uses advised against are identified.	
1.3. Details of the supplier of the safety data sheet		
Supplier		
	Maxkote Ltd	
	Tower Court, Oakdale Road	
	Clifton Moor	
	Yorks	
	North Yorkshire	
	YO30 4XL	
	United Kingdom	

Tel: 01904 809 773

Email: info@MaxKote.co.uk

#### 1.4. Emergency telephone number - 01904 809 773

SECTION 2: Hazards identification		
2.1. Classification of the substance or mixture		
Classification		
Physical hazards	Not Classified	
Health hazards	Acute Tox. 4 - H332 Skin Irrit. 2 - H315 Eye Irrit. 2 - H319 Resp. Sens. 1 - H334 Skin Sens. 1 - H317 Carc. 2 - H351 STOT SE 3 - H335 STOT RE 2 - H373	
Environmental hazards	Not Classified	

Classification (67/548/EEC or Xn;R20,R48/20. Carc. Cat. 3;R40. R42/43. Xi;R36/37/38. 1999/45/EC)

2.2. Label elements

Pictogram



Signal word

Danger

#### MAXLINE 100 POTABLE WATER COATING - ACTIVATOR

Hazard statements	<ul> <li>H315 Causes skin irritation.</li> <li>H317 May cause an allergic skin reaction.</li> <li>H319 Causes serious eye irritation.</li> <li>H332 Harmful if inhaled.</li> <li>H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.</li> <li>H335 May cause respiratory irritation.</li> <li>H351 Suspected of causing cancer by inhalation.</li> <li>H373 May cause damage to organs through prolonged or repeated exposure.</li> </ul>
Precautionary statements	EUH204 Contains isocyanates. May produce an allergic reaction. P280 Wear protective gloves/protective clothing/eye protection/face protection. P281 Use personal protective equipment as required. P308+P313 IF exposed or concerned: Get medical advice/attention. P314 Get medical advice/attention if you feel unwell. P342+P311 If experiencing respiratory symptoms: Call a POISON CENTER/doctor.
Contains	DIPHENYLMETHANE -4, 4'- DI-ISOCYANATE, Homopolymer of methylenediphenyl diisocyanate, Isocyanic Acid, polymethylenepolyphenylene ester
Supplementary precautionary statements	<ul> <li>P201 Obtain special instructions before use.</li> <li>P202 Do not handle until all safety precautions have been read and understood.</li> <li>P260 Do not breathe vapour/spray.</li> <li>P261 Avoid breathing vapour/spray.</li> <li>P264 Wash contaminated skin thoroughly after handling.</li> <li>P271 Use only outdoors or in a well-ventilated area.</li> <li>P272 Contaminated work clothing should not be allowed out of the workplace.</li> <li>P284 [In case of inadequate ventilation] wear respiratory protection.</li> <li>P302+P352 IF ON SKIN: Wash with plenty of water.</li> <li>P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.</li> <li>P304+P341 IF INHALED: If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing.</li> <li>P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.</li> <li>P312 Call a POISON CENTER/doctor if you feel unwell.</li> <li>P313 Get medical advice/attention.</li> <li>P332+P313 If skin irritation occurs: Get medical advice/attention.</li> <li>P333+P313 If skin irritation or rash occurs: Get medical advice/attention.</li> <li>P337 If eye irritation persists:</li> <li>P363 Wash contaminated clothing.</li> <li>P363 Wash contaminated clothing before reuse.</li> <li>P403+P233 Store in a well-ventilated place. Keep container tightly closed.</li> <li>P405 Store locked up.</li> <li>P501 Dispose of contents/container to</li> </ul>
0.2 Other hererde	

## 2.3. Other hazards

This product does not contain any substances classified as PBT or vPvB.

#### SECTION 3: Composition/information on ingredients

#### 3.2. Mixtures

#### MAXLINE 100 POTABLE WATER COATING - ACTIVATOR

Homopolymer of methylenedipher	nyl diisocyanate	30-60
CAS number: 39310-05-9	EC number: 500-297-1	REACH registration number: 01- 2119457013-49-0000
Classification	Classificatio	on (67/548/EEC or 1999/45/EC)
Acute Tox. 2 - H330	Xn;R20,R4	8/20. Carc. Cat. 3;R40. Xi;R36/37/38. R42/43.
Skin Irrit. 2 - H315		
Eye Irrit. 2 - H319		
Resp. Sens. 1 - H334		
Skin Sens. 1 - H317		
Carc. 2 - H351		
STOT SE 3 - H335		
STOT RE 2 - H373		
socyanic Acid, polymethylenepoly	vphenylene ester	30-60
CAS number: 9016-87-9		
Classification	Classificatio	on (67/548/EEC or 1999/45/EC)
Acute Tox. 4 - H332		8/20. Carc. Cat. 3;R40. Xi;R36/37/38. R42/43.
Skin Irrit. 2 - H315		
Eye Irrit. 2 - H319		
Resp. Sens. 1 - H334		
Skin Sens. 1 - H317		
Carc. 2 - H351		
STOT SE 3 - H335		
STOT RE 2 - H373		
DIPHENYLMETHANE -4, 4'- DI-IS	OCYANATE	10-30
CAS number: 101-68-8	EC number: 202-966-0	
Classification	Classificatio	on (67/548/EEC or 1999/45/EC)
Acute Tox. 4 - H332		3;R40 Xn;R20,R48/20 Xi;R36/37/38 R42/43
Skin Irrit. 2 - H315		
Eye Irrit. 2 - H319		
•		
Resp. Sens. 1 - H334		
-		
Resp. Sens. 1 - H334 Skin Sens. 1 - H317 Carc. 2 - H351		
Skin Sens. 1 - H317		

#### SECTION 4: First aid measures

#### 4.1. Description of first aid measures

**General information** 

Get medical attention immediately. Show this Safety Data Sheet to the medical personnel.

## SAFETY DATA SHEET MAXLINE 100 POTABLE WATER COATING - ACTIVATOR

Inhalation	Remove affected person from source of contamination. Move affected person to fresh air and keep warm and at rest in a position comfortable for breathing. Maintain an open airway. Loosen tight clothing such as collar, tie or belt. When breathing is difficult, properly trained personnel may assist affected person by administering oxygen. Place unconscious person on their side in the recovery position and ensure breathing can take place. In the event of any sensitisation symptoms developing, ensure further exposure is avoided.
Ingestion	Rinse mouth thoroughly with water. Remove any dentures. Give a few small glasses of water or milk to drink. Stop if the affected person feels sick as vomiting may be dangerous. Do not induce vomiting unless under the direction of medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Never give anything by mouth to an unconscious person. Move affected person to fresh air and keep warm and at rest in a position comfortable for breathing. Place unconscious person on their side in the recovery position and ensure breathing can take place. Maintain an open airway. Loosen tight clothing such as collar, tie or belt.
Skin contact	It is important to remove the substance from the skin immediately. In the event of any sensitisation symptoms developing, ensure further exposure is avoided. Remove contamination with soap and water or recognised skin cleansing agent. Get medical attention if symptoms are severe or persist after washing.
Eye contact	Rinse immediately with plenty of water. Remove any contact lenses and open eyelids wide apart. Continue to rinse for at least 10 minutes.
Protection of first aiders	First aid personnel should wear appropriate protective equipment during any rescue. If it is suspected that volatile contaminants are still present around the affected person, first aid personnel should wear an appropriate respirator or self-contained breathing apparatus. Wash contaminated clothing thoroughly with water before removing it from the affected person, or wear gloves. It may be dangerous for first aid personnel to carry out mouth-to-mouth resuscitation.
4.2. Most important symptoms	and effects, both acute and delayed
General information	See Section 11 for additional information on health hazards. The severity of the symptoms described will vary dependent on the concentration and the length of exposure.
Inhalation	May cause sensitisation or allergic reactions in sensitive individuals. A single exposure may cause the following adverse effects: Headache. Exhaustion and weakness. Prolonged or repeated exposure may cause the following adverse effects: Suspected of causing cancer.
Ingestion	May cause sensitisation or allergic reactions in sensitive individuals. May cause irritation. Prolonged or repeated exposure may cause the following adverse effects: Suspected of causing cancer.
Skin contact	May cause skin sensitisation or allergic reactions in sensitive individuals. Redness. Irritating to skin. Prolonged or repeated exposure may cause the following adverse effects: Suspected of causing cancer.
Eye contact	Irritating to eyes.
4.3. Indication of any immediat	e medical attention and special treatment needed
Notes for the doctor	Treat symptomatically. May cause sensitisation or allergic reactions in sensitive individuals.
SECTION 5: Firefighting meas	ures
5.1. Extinguishing media	
Suitable extinguishing media	The product is not flammable. Extinguish with alcohol-resistant foam, carbon dioxide, dry powder or water fog. Use fire-extinguishing media suitable for the surrounding fire.

#### MAXLINE 100 POTABLE WATER COATING - ACTIVATOR

Unsuitable extinguishing media	Do not use water jet as an extinguisher, as this will spread the fire.
5.2. Special hazards arising fr	om the substance or mixture
Specific hazards	Containers can burst violently or explode when heated, due to excessive pressure build-up. This product is toxic.
Hazardous combustion products	Thermal decomposition or combustion products may include the following substances: Toxic gases or vapours.
5.3. Advice for firefighters	
Protective actions during firefighting	Avoid breathing fire gases or vapours. Evacuate area. Keep upwind to avoid inhalation of gases, vapours, fumes and smoke. Ventilate closed spaces before entering them. Cool containers exposed to heat with water spray and remove them from the fire area if it can be done without risk. Cool containers exposed to flames with water until well after the fire is out. If a leak or spill has not ignited, use water spray to disperse vapours and protect men stopping the leak. Control run-off water by containing and keeping it out of sewers and watercourses. If risk of water pollution occurs, notify appropriate authorities.
Special protective equipment for firefighters	Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing. Firefighter's clothing conforming to European standard EN469 (including helmets, protective boots and gloves) will provide a basic level of protection for chemical incidents.

#### **SECTION 6: Accidental release measures**

#### 6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions No action shall be taken without appropriate training or involving any personal risk. Keep unnecessary and unprotected personnel away from the spillage. Wear protective clothing as described in Section 8 of this safety data sheet. Follow precautions for safe handling described in this safety data sheet. Wash thoroughly after dealing with a spillage. Ensure procedures and training for emergency decontamination and disposal are in place. Do not touch or walk into spilled material. Avoid inhalation of dust and vapours. Use suitable respiratory protection if ventilation is inadequate. Avoid contact with skin and eyes.

#### 6.2. Environmental precautions

**Environmental precautions** Avoid discharge into drains or watercourses or onto the ground. Avoid discharge to the aquatic environment. Large Spillages: Inform the relevant authorities if environmental pollution occurs (sewers, waterways, soil or air).

#### 6.3. Methods and material for containment and cleaning up

Methods for cleaning up Wear protective clothing as described in Section 8 of this safety data sheet. Clear up spills immediately and dispose of waste safely. Provide adequate ventilation. Approach the spillage from upwind. Small Spillages: If the product is soluble in water, dilute the spillage with water and mop it up. Alternatively, or if it is not water-soluble, absorb the spillages: If leakage cannot be stopped, evacuate area. Flush spilled material into an effluent treatment plant, or proceed as follows. Contain and absorb spillage with sand, earth or other non-combustible material. Place waste in labelled, sealed containers. Clean contaminated objects and areas thoroughly, observing environmental regulations. The contaminated absorbent may pose the same hazard as the spilled material. Flush contaminated area with plenty of water. Wash thoroughly after dealing with a spillage. Dispose of waste to licensed waste disposal site in accordance with the requirements of the local Waste Disposal Authority.

#### 6.4. Reference to other sections

## SAFETY DATA SHEET MAXLINE 100 POTABLE WATER COATING - ACTIVATOR

Reference to other sections	For personal protection, see Section 8. See Section 11 for additional information on health hazards. See Section 12 for additional information on ecological hazards. For waste disposal, see Section 13.
SECTION 7: Handling and sto	rage
7.1. Precautions for safe hand	lling
Usage precautions	Read and follow manufacturer's recommendations. Wear protective clothing as described in Section 8 of this safety data sheet. Keep away from food, drink and animal feeding stuffs. Handle all packages and containers carefully to minimise spills. Keep container tightly sealed when not in use. Avoid the formation of mists. Suspected of causing cancer. Do not handle until all safety precautions have been read and understood. Do not handle broken packages without protective equipment. Do not reuse empty containers.
Advice on general occupational hygiene	Wash promptly if skin becomes contaminated. Take off contaminated clothing. Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product. Wash at the end of each work shift and before eating, smoking and using the toilet. Change work clothing daily before leaving workplace.
7.2. Conditions for safe storage	ge, including any incompatibilities
Storage precautions	Store in accordance with local regulations. Keep only in the original container. Keep container tightly closed, in a cool, well ventilated place. Keep containers upright. Protect containers from damage. Bund storage facilities to prevent soil and water pollution in the event of spillage. The storage area floor should be leak-tight, jointless and not absorbent.
Storage class	Toxic storage.
7.3. Specific end use(s)	
Specific end use(s)	The identified uses for this product are detailed in Section 1.2.
SECTION 8: Exposure Contro	ols/personal protection
8.1. Control parameters	
Occupational exposure limits	
Homopolymer of methylenedi	phenyl diisocyanate
Long-term exposure limit (8-h Short-term exposure limit (15- Sen as NCO	
Isocyanic Acid, polymethylene	epolyphenylene ester
Long-term exposure limit (8-h Short-term exposure limit (15- Skin sensitiser. as NCO	our TWA): WEL 0.02 mg/m <sup>3</sup>
DIPHENYLMETHANE -4, 4'-	DI-ISOCYANATE
Long-term exposure limit (8-h	our TWA): WEL 0,01 mg/m <sup>3</sup>

Short-term exposure limit (15-minute): WEL  $\,$  0,07 mg/m  $^{3}$  as NCO  $\,$ 

Sen

ſ

WEL = Workplace Exposure Limit

Sen = Capable of causing occupational asthma.

#### Homopolymer of methylenediphenyl diisocyanate (CAS: 39310-05-9)

## SAFETY DATA SHEET MAXLINE 100 POTABLE WATER COATING - ACTIVATOR

Ingredient com	nents	EH40/2005 Workplace exposure limits. Medical supervision of all employees who come into contact with respiratory sensitisers is recommended. Personnel with a history of asthma-type conditions, bronchitis or skin sensitisation conditions should not work with MDI based products. The OELs listed do not apply to previously sensitised individuals. Sensitised individuals should be removed from any further exposure.		
Biological limit values		Predicted Effect Levels: No PECs available, Predicted Effect Levels: No PECs available, Predicted Effect Levels: No PECs available Derivied Effect Levels: No DELs available Derivied Effect Levels: No DELs available Derivied Effect Levels: No DELs available		
8.2. Exposure controls				
Protective equipment				
Appropriate engineering controls	be requir the nece ventilatic Persona adequate	adequate ventilation. Personal, workplace environment or biological monitoring may red to determine the effectiveness of the ventilation or other control measures and/or essity to use respiratory protective equipment. Use process enclosures, local exhaust on or other engineering controls as the primary means to minimise worker exposure. I protective equipment should only be used if worker exposure cannot be controlled ely by the engineering control measures. Ensure control measures are regularly d and maintained. Ensure operatives are trained to minimise exposure.		
Eye/face protection	eye cont comply v	r complying with an approved standard should be worn if a risk assessment indicates act is possible. Personal protective equipment for eye and face protection should with European Standard EN166. Wear tight-fitting, chemical splash goggles or face inhalation hazards exist, a full-face respirator may be required instead.		
Hand protection	a risk as chosen i about the should c manufac	al-resistant, impervious gloves complying with an approved standard should be worn if sessment indicates skin contact is possible. The most suitable glove should be n consultation with the glove supplier/manufacturer, who can provide information e breakthrough time of the glove material. To protect hands from chemicals, gloves omply with European Standard EN374. Considering the data specified by the glove sturer, check during use that the gloves are retaining their protective properties and them as soon as any deterioration is detected. Frequent changes are recommended.		
Other skin and body protection		ate footwear and additional protective clothing complying with an approved standard e worn if a risk assessment indicates skin contamination is possible.		
Hygiene measures	allowed and the Wash at using do	eyewash station and safety shower. Contaminated work clothing should not be out of the workplace. Wash contaminated clothing before reuse. Clean equipment work area every day. Good personal hygiene procedures should be implemented. the end of each work shift and before eating, smoking and using the toilet. When not eat, drink or smoke. Preventive industrial medical examinations should be carried in cleaning personnel of any hazardous properties of the product.		
Respiratory protection	assessm equipme tightly ar with Euro should c	ory protection complying with an approved standard should be worn if a risk nent indicates inhalation of contaminants is possible. Ensure all respiratory protective ent is suitable for its intended use and is 'CE'-marked. Check that the respirator fits nd the filter is changed regularly. Gas and combination filter cartridges should comply opean Standard EN14387. Full face mask respirators with replaceable filter cartridges omply with European Standard EN136. Half mask and quarter mask respirators with uble filter cartridges should comply with European Standard EN140.		

## MAXLINE 100 POTABLE WATER COATING - ACTIVATOR

Environmental exposure	Keep container tightly sealed when not in use. Emissions from ventilation or work process
controls	equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.
SECTION 9: Physical and Che	emical Properties
9.1. Information on basic phys	ical and chemical properties
Appearance	Liquid.
Colour	Colourless.
9.2. Other information	
SECTION 10: Stability and rea	activity
10.1. Reactivity	
Reactivity	There are no known reactivity hazards associated with this product.
10.2. Chemical stability	
Stability	Stable at normal ambient temperatures and when used as recommended. Stable under the prescribed storage conditions.
10.3. Possibility of hazardous	reactions
Possibility of hazardous reactions	No potentially hazardous reactions known.
10.4. Conditions to avoid	
Conditions to avoid	There are no known conditions that are likely to result in a hazardous situation.
10.5. Incompatible materials	
Materials to avoid	No specific material or group of materials is likely to react with the product to produce a hazardous situation.
10.6. Hazardous decompositio	on products
Hazardous decomposition products	Does not decompose when used and stored as recommended. Thermal decomposition or combustion products may include the following substances: Toxic gases or vapours.
SECTION 11: Toxicological in	formation
11.1. Information on toxicologi	cal effects
<u>Acute toxicity - oral</u> Notes (oral LD <sub>50</sub> )	Based on available data the classification criteria are not met.
<u>Acute toxicity - dermal</u> Notes (dermal LD₅₀)	Based on available data the classification criteria are not met.
<u>Acute toxicity - inhalation</u> Notes (inhalation LC₅₀)	Acute Tox. 4 - H332 Harmful if inhaled.
ATE inhalation (gases ppm)	22,727.27
ATE inhalation (vapours mg/l)	55.56
ATE inhalation (dusts/mists mg/l)	1.5

Skin corrosion/irritation

Revision date: 23/10/2018

Animal data

Irritating.

#### MAXLINE 100 POTABLE WATER COATING - ACTIVATOR

Serious eye damage/irritation	
Serious eye damage/irritation	Causes serious eye irritation.
Respiratory sensitisation	<b>-</b>
Respiratory sensitisation	There is evidence that the product can cause respiratory hypersensitivity.
Skin sensitisation	
Skin sensitisation	May cause skin sensitisation or allergic reactions in sensitive individuals.
Germ cell mutagenicity	
Genotoxicity - in vitro	Based on available data the classification criteria are not met.
Carcinogenicity	
Carcinogenicity	Suspected of causing cancer.
IARC carcinogenicity	None of the ingredients are listed or exempt.
Reproductive toxicity	
Reproductive toxicity - fertility	Based on available data the classification criteria are not met.
Reproductive toxicity - development	Based on available data the classification criteria are not met.
development	
On a sife townst suman toyisit :	
Specific target organ toxicity -	
STOT - single exposure	STOT SE 3 - H335 May cause respiratory irritation.
STOT - single exposure Target organs	STOT SE 3 - H335 May cause respiratory irritation. Respiratory system, lungs
STOT - single exposure Target organs Specific target organ toxicity -	STOT SE 3 - H335 May cause respiratory irritation. Respiratory system, lungs <b>repeated exposure</b>
STOT - single exposure Target organs	STOT SE 3 - H335 May cause respiratory irritation. Respiratory system, lungs
STOT - single exposure Target organs <u>Specific target organ toxicity -</u> STOT - repeated exposure <u>Aspiration hazard</u>	STOT SE 3 - H335 May cause respiratory irritation. Respiratory system, lungs <u>repeated exposure</u> STOT RE 2 - H373 May cause damage to organs through prolonged or repeated exposure.
STOT - single exposure Target organs Specific target organ toxicity - STOT - repeated exposure	STOT SE 3 - H335 May cause respiratory irritation. Respiratory system, lungs <b>repeated exposure</b>
STOT - single exposure Target organs <u>Specific target organ toxicity -</u> STOT - repeated exposure <u>Aspiration hazard</u> Aspiration hazard	STOT SE 3 - H335 May cause respiratory irritation. Respiratory system, lungs repeated exposure STOT RE 2 - H373 May cause damage to organs through prolonged or repeated exposure. Based on available data the classification criteria are not met.
STOT - single exposure Target organs <u>Specific target organ toxicity -</u> STOT - repeated exposure <u>Aspiration hazard</u>	STOT SE 3 - H335 May cause respiratory irritation. Respiratory system, lungs <u>repeated exposure</u> STOT RE 2 - H373 May cause damage to organs through prolonged or repeated exposure.
STOT - single exposure Target organs <u>Specific target organ toxicity -</u> STOT - repeated exposure <u>Aspiration hazard</u> Aspiration hazard	STOT SE 3 - H335 May cause respiratory irritation. Respiratory system, lungs repeated exposure STOT RE 2 - H373 May cause damage to organs through prolonged or repeated exposure. Based on available data the classification criteria are not met. May cause cancer after repeated exposure. Risk of cancer depends on duration and level of exposure. The severity of the symptoms described will vary dependent on the concentration
STOT - single exposure Target organs <u>Specific target organ toxicity -</u> STOT - repeated exposure <u>Aspiration hazard</u> Aspiration hazard General information	STOT SE 3 - H335 May cause respiratory irritation. Respiratory system, lungs repeated exposure STOT RE 2 - H373 May cause damage to organs through prolonged or repeated exposure. Based on available data the classification criteria are not met. May cause cancer after repeated exposure. Risk of cancer depends on duration and level of exposure. The severity of the symptoms described will vary dependent on the concentration and the length of exposure. May cause sensitisation or allergic reactions in sensitive individuals. A single exposure may
STOT - single exposure Target organs <u>Specific target organ toxicity -</u> STOT - repeated exposure <u>Aspiration hazard</u> Aspiration hazard General information	STOT SE 3 - H335 May cause respiratory irritation. Respiratory system, lungs repeated exposure STOT RE 2 - H373 May cause damage to organs through prolonged or repeated exposure. Based on available data the classification criteria are not met. May cause cancer after repeated exposure. Risk of cancer depends on duration and level of exposure. The severity of the symptoms described will vary dependent on the concentration and the length of exposure. May cause sensitisation or allergic reactions in sensitive individuals. A single exposure may cause the following adverse effects: Headache. Exhaustion and weakness.
STOT - single exposure Target organs <u>Specific target organ toxicity -</u> STOT - repeated exposure <u>Aspiration hazard</u> Aspiration hazard General information Inhalation Ingestion	STOT SE 3 - H335 May cause respiratory irritation. Respiratory system, lungs repeated exposure STOT RE 2 - H373 May cause damage to organs through prolonged or repeated exposure. Based on available data the classification criteria are not met. May cause cancer after repeated exposure. Risk of cancer depends on duration and level of exposure. The severity of the symptoms described will vary dependent on the concentration and the length of exposure. May cause sensitisation or allergic reactions in sensitive individuals. A single exposure may cause the following adverse effects: Headache. Exhaustion and weakness. May cause sensitisation or allergic reactions in sensitive individuals. May cause irritation. May cause skin sensitisation or allergic reactions in sensitive individuals. Redness. Irritating to

Medical considerations Skin disorders and allergies.

## SECTION 12: Ecological Information

#### Ecotoxicity

Route of entry

Target organs

Not regarded as dangerous for the environment. However, large or frequent spills may have hazardous effects on the environment.

Ingestion Inhalation Skin and/or eye contact

Respiratory system, lungs

#### MAXLINE 100 POTABLE WATER COATING - ACTIVATOR

Toxicity	Based on available data the classification criteria are not met.	
12.2. Persistence and degrada		
	The degradability of the product is not known.	
12.3. Bioaccumulative potentia		
Bioaccumulative potential	No data available on bioaccumulation.	
12.4. Mobility in soil		
Mobility	No data available.	
12.5. Results of PBT and vPvE	assessment	
12.6. Other adverse effects		
Other adverse effects	None known.	
SECTION 13: Disposal conside	erations	
13.1. Waste treatment method	<u>s</u>	
General information	The generation of waste should be minimised or avoided wherever possible. Reuse or recycle products wherever possible. This material and its container must be disposed of in a safe way. Disposal of this product, process solutions, residues and by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any local authority requirements. When handling waste, the safety precautions applying to handling of the product should be considered. Care should be taken when handling emptied containers that have not been thoroughly cleaned or rinsed out. Empty containers or liners may retain some product residues and hence be potentially hazardous.	
Disposal methods	Dispose of surplus products and those that cannot be recycled via a licensed waste disposal contractor. Waste, residues, empty containers, discarded work clothes and contaminated cleaning materials should be collected in designated containers, labelled with their contents. Incineration or landfill should only be considered when recycling is not feasible.	
SECTION 14: Transport inform	nation	
General	The product is not covered by international regulations on the transport of dangerous goods (IMDG, IATA, ADR/RID).	
14.1. UN number		
Not applicable.		
<u>14.2.</u> <u>UN proper shipping name</u> Not applicable.		
14.3. Transport hazard class(es)		
No transport warning sign required.		
14.4. Packing group		
Not applicable.		
14.5. Environmental hazards		
Environmentally hazardous substance/marine pollutant No.		
14.6. Special precautions for u	sar	
Not applicable.		

MAXLINE 100 POTABLE WATER COATING - ACTIVATOR

#### 14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

Transport in bulk according to Not applicable. Annex II of MARPOL 73/78 and the IBC Code

# SECTION 15: Regulatory information 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations	Health and Safety at Work etc. Act 1974 (as amended). The Chemicals (Hazard Information and Packaging for Supply) Regulations 2009 (SI 2009 No. 716). The Carriage of Dangerous Goods and Use of Transportable Pressure Equipment Regulations 2009 (SI 2009 No. 1348) (as amended) ["CDG 2009"]. EH40/2005 Workplace exposure limits.
EU legislation	<ul> <li>Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18</li> <li>December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) (as amended).</li> <li>Commission Regulation (EU) No 453/2010 of 20 May 2010.</li> <li>Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16</li> <li>December 2008 on classification, labelling and packaging of substances and mixtures (as amended).</li> <li>Dangerous Preparations Directive 1999/45/EC.</li> <li>Dangerous Substances Directive 67/548/EEC.</li> </ul>

#### 15.2. Chemical safety assessment

No chemical safety assessment has been carried out.

#### Inventories

#### **EU - EINECS/ELINCS**

None of the ingredients are listed or exempt.

#### SECTION 16: Other information

Classification procedures according to Regulation (EC) 1272/2008	Acute Tox. 4 - H332: STOT RE 2 - H373: STOT SE 3 - H335: Skin Irrit. 2 - H315: Eye Irrit. 2 - H319: Resp. Sens. 1 - H334: Skin Sens. 1 - H317: Carc. 2 - H351: : Calculation method.
Training advice	Read and follow manufacturer's recommendations. Only trained personnel should use this material.
Revision date	16/05/2013
Risk phrases in full	<ul> <li>R20 Harmful by inhalation.</li> <li>R36/37/38 Irritating to eyes, respiratory system and skin.</li> <li>R40 Limited evidence of a carcinogenic effect.</li> <li>R42/43 May cause sensitisation by inhalation and skin contact.</li> <li>R48/20 Harmful: danger of serious damage to health by prolonged exposure through inhalation.</li> </ul>

## 

## MAXLINE 100 POTABLE WATER COATING - ACTIVATOR

Hazard statements in full	H315 Causes skin irritation.
	H317 May cause an allergic skin reaction.
	H319 Causes serious eye irritation.
	H332 Harmful if inhaled.
	H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.
	H335 May cause respiratory irritation.
	H351 Suspected of causing cancer.
	H351 Suspected of causing cancer by inhalation.
	H373 May cause damage to organs through prolonged or repeated exposure.
	H373 May cause damage to organs through prolonged or repeated exposure if inhaled.

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.